

New England Biolabs Certificate of Analysis

Product Name: NEB[®] Turbo Electrocompetent *E. coli*
Catalog #: C2986K
Lot #: 0241802
Assay Date: 02/2018
Expiration Date: 02/2019
Storage Temp: -80°C
Specification Version: PS-C2986K v1.0
Effective Date: 07 Feb 2018

Assay Name/Specification (minimum release criteria)	Lot #0241802
Antibiotic Resistance (Nitrofurantoin) - 15 µl of untransformed NEB [®] Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Nitrofurantoin will form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Ampicillin) - 15 µl of untransformed NEB [®] Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Ampicillin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Chloramphenicol) - 15 µl of untransformed NEB [®] Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Chloramphenicol will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Kanamycin) - 15 µl of untransformed NEB [®] Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Kanamycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Spectinomycin) - 15 µl of untransformed NEB [®] Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Spectinomycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Streptomycin) - 15 µl of untransformed NEB [®] Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Streptomycin will not form colonies after incubation for 16 hours at 37°C.	Pass
Antibiotic Sensitivity (Tetracycline) - 15 µl of untransformed NEB [®] Turbo Electrocompetent <i>E. coli</i> streaked onto a LB or Rich Broth plate containing Tetracycline will not form colonies after incubation for 16 hours at 37°C.	Pass
Blue-White Screening (α-complementation, Competent Cells) - NEB [®] Turbo Electrocompetent <i>E. coli</i> were shown to be suitable for blue/white screening by α-complementation of the β-galactosidase gene using pUC19.	Pass




New England Biolabs Certificate of Analysis

Assay Name/Specification (minimum release criteria)	Lot #0241802
Phage Resistance (Φ 80) - 15 µl of untransformed NEB [®] Turbo Electrocompetent <i>E. coli</i> streaked onto a Rich Broth plate does not support plaque formation by phage Φ 80 after incubation for 16 hours at 37°C.	Pass
Transformation Efficiency - 25 µl of NEB [®] Turbo Electrocompetent <i>E. coli</i> cells were transformed with 10 pg of pUC19 DNA using the transformation protocol provided. Incubation overnight on LB-Ampicillin plates at 37°C resulted in >1 x 10 ¹⁰ cfu/µg of DNA.	Pass



Authorized by
Derek Robinson
07 Feb 2018



Inspected by
Quiting Ren
20 Feb 2018

