

## New England Biolabs Certificate of Analysis


Product Name: *HiScribe™ T7 ARCA mRNA Kit (with Tailing)*  
 Catalog Number: *E2060S*  
 Packaging Lot Number: *10129754*  
 Expiration Date: *04/2023*  
 Storage Temperature: *-20°C*  
 Specification Version: *PS-E2060S v1.0*

HiScribe™ T7 ARCA mRNA Kit (with Tailing) Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
N2053AVIAL	2X ARCA/NTP Mix	10116278	Pass
N0247AVIAL	CLuc Control Template	10099611	Pass
M0444AVIAL	E. coli Poly(A) Polymerase	10111715	Pass
M0303AAVIAL	DNase I (RNase-free)	10125583	Pass
M0255AAVIAL	T7 RNA Polymerase Mix	10110984	Pass
B2051AVIAL	LiCl Solution	10103368	Pass
B0276SVIAL	Poly(A) Polymerase Reaction Buffer	10114403	Pass

Assay Name/Specification	Lot # 10129754
<p><b>Functional Testing (RNA Tailing, Length)</b>            A 50 µl reaction in Poly(A) Polymerase Reaction Buffer containing a minimum of 15 µg of HiScribe™ RNA product and 5 µl of Poly(A) Polymerase incubated for 30 minutes at 37°C results in a visible shift of the 1.6 kb RNA band as determined by agarose gel electrophoresis.</p>	Pass
<p><b>* Individual Product Component Note</b>            Standard Quality Control Tests are performed for each component included in HiScribe™ T7 ARCA mRNA Kit (with tailing) and meet the designated specifications.</p>	Pass
<p><b>Functional Testing (RNA Synthesis, Yield)</b>            A 20 µl reaction in the presence of 1 X ARCA/NTP Mix containing 1 µg CLuc Control Template with 2 µl of the T7 RNA Polymerase Mix incubated for 30 minutes at 37°C results in a minimum of 15 µg of a 1.6 kb RNA as determined by OD 260 and agarose gel electrophoresis.</p>	Pass


This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit [www.neb.com/trademarks](http://www.neb.com/trademarks) for additional information.



---

Dongxian Yue  
Production Scientist  
08 Nov 2021



---

Michael Tonello  
Packaging Quality Control Inspector  
24 Nov 2021