

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

## New England Biolabs Certificate of Analysis

Product Name: M13K07 Helper Phage

Catalog Number: N0315S

Concentration: 1 x10e11 pfu/ml

Packaging Lot Number: 10193038
Expiration Date: 04/2025
Storage Temperature: -20°C

Storage Conditions: 1X PBS, 50% Glycerol

Specification Version: PS-N0315S v1.0

M13K07 Helper Phage Component List			
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result
N0315SVIAL	M13K07 Helper Phage	10182281	Pass

Assay Name/Specification	Lot # 10193038
Absolute Phage Titer Infection of a mid-log culture of E. coli ER2690 with M13KO7 Helper Phage followed by plating, yields ≥ 1 x 1011 pfu/ml.	Pass
Functional Testing (Helper Ratio) Superinfection of an early-log culture of E. coli ER2738/pLITMUS 38 with 3 x 108 pfu/ml M13KO7, followed by incubation for 18 hours in the presence of 70 µg /ml kanamycin yields > 10-fold excess of packaged phagemid DNA over helper phage.	Pass
Viable Cell Titer Plating a 300 μl suspension of M13KO7 Helper Phage for viable cells on LB agar yields a titer of <1 x 10² cfu/ml.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



N0315S / Lot: 10193038

Page 1 of 2

Beth M. Paschel

Beth Paschal **Production Scientist** 13 Apr 2023

Josh Hersey Packaging Quality Control Inspector

18 Jul 2023



N0315S / Lot: 10193038

Page 2 of 2