

## New England Biolabs Certificate of Analysis

**Product Name:** *Faul*  
**Catalog Number:** *R0651L*  
**Concentration:** *5,000 U/ml*  
**Unit Definition:** *One unit is defined as the amount of enzyme required to digest 1 µg of Lambda DNA in 1 hour at 55°C in a total reaction volume of 50 µl.*  
**Lot Number:** *10010499*  
**Expiration Date:** *06/2020*  
**Storage Temperature:** *-20°C*  
**Storage Conditions:** *50 mM KCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, 200 µg/ml BSA*  
**Specification Version:** *PS-R0651S/L v1.0*


Faul Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
R0651LVIAL	Faul	10010500	Pass
B7204SVIAL	CutSmart® Buffer	3091805	Pass

Assay Name/Specification	Lot # 10010499
<p><b>Exonuclease Activity (Radioactivity Release)</b>            A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [<sup>3</sup>H] E. coli DNA and a minimum of 5 units of Faul incubated for 4 hours at 55°C releases &lt;1.0% of the total radioactivity.</p>	Pass
<p><b>Ligation and Recutting (Terminal Integrity)</b>            After a 5-fold over-digestion of Lambda DNA with Faul, ~50% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, ~75% can be recut with Faul.</p>	Pass
<p><b>Non-Specific DNase Activity (16 Hour)</b>            A 50 µl reaction in CutSmart™ Buffer containing 1 µg of Lambda DNA and a minimum of 5 Units of Faul incubated for 16 hours at 55°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.



Jianying Luo  
Production Scientist  
06 Jun 2018



Mary Conlon  
Packaging Quality Control Inspector  
22 Jun 2018