

New England Biolabs Certificate of Analysis

Product Name: *Monarch® Genomic DNA Purification Kit*
Catalog Number: *T3010G*
Packaging Lot Number: *10215712*
Expiration Date: *12/2024*
Storage Temperature: *25°C*
Specification Version: *PS-T3010G v2.0*


Monarch® Genomic DNA Purification Kit Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
T3018-21	Monarch® RNase A	10162419	Pass
T3017-21	gDNA Purification 10 Columns, IIC	10170041	Pass
T3016-21	Monarch® gDNA Elution Buffer	10165775	Pass
T3015-21	Monarch® gDNA Wash Buffer	10165772	Pass
T3014-21	Monarch® gDNA Binding Buffer	10165769	Pass
T3013-21	Monarch® gDNA Blood Lysis Buffer	10179860	Pass
T3012-21	Monarch® gDNA Cell Lysis Buffer	10165763	Pass
T3011-21	Monarch® gDNA Tissue Lysis Buffer	10165753	Pass
T2018-22	Monarch® Collection Tubes II (20)	10041731	Pass
P8107GVIAL	Proteinase K, Molecular Biology Grade	10214463	Pass

Assay Name/Specification	Lot # 10215712
<p>* Individual Product Component Note Standard Quality Control Tests are performed for each component included in Monarch® Genomic DNA Purification Kit and meet the designated specifications.</p>	Pass
<p>Functional Testing (Blood Cell Lysis Buffer, Monarch®) Genomic DNA is purified from 8 samples of whole pig blood using the protocol for extraction and purification of genomic DNA for Mammalian Whole Blood (non-nucleated), with $\geq 2 \mu\text{g}$ of gDNA being recovered in $\geq 80\%$ of the samples. OD 260/280 and 260/230 are ≥ 1.75 in $\geq 80\%$ of the samples.</p>	Pass
<p>Functional Testing (Cell Lysis Buffer, Monarch®) Genomic DNA is purified from 8 individual aliquots of HeLa cells (106 cells/aliquot) using the Protocol for Extraction and Purification of Genomic DNA from Cultured Cells, resulting in $\geq 3 \mu\text{g}$ of gDNA being recovered in $\geq 80\%$ of the samples. OD 260/280 and 260/230 are ≥ 1.75 in $\geq 80\%$ of the samples.</p>	Pass

Assay Name/Specification	Lot # 10215712
<p>Functional Testing (DNA Recovery and Purity) Twenty-four Monarch® gDNA Purification Columns are tested with 5 µg of HindIII digested Lambda resulting in ≥75% recovery in ≥80% of the samples. OD 260/280 and 260/230 are ≥1.75 in ≥80% of the samples.</p>	Pass
<p>Functional Testing (RNase A, Monarch®) A 10 µl reaction in NEBuffer 4 containing 40 ng of fluorescein labeled RNA transcript and RNase A is incubated at 37°C. After incubation for 5 minutes, complete disappearance of the RNA substrate occurs at ≤1.0 µg/ml of RNase A, as determined by gel electrophoresis using fluorescent detection.</p>	Pass
<p>Functional Testing (Tissue Lysis Buffer, Monarch®) Genomic DNA is purified from 8 NEB10-Beta samples treated using the Supplemental Protocol for Genomic DNA Purification from Gram-negative Bacteria, resulting in ≥5 µg of gDNA being recovered in ≥80% of the samples. OD 260/280 and 260/230 are ≥1.75 in ≥80% of the samples.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Ana Egana
Production Scientist
12 Dec 2023



June Gaumont
Packaging Quality Control Inspector
12 Dec 2023